

ANSI/SAIA A92.20 – 2020

Design, Calculations, Safety Requirements and Test Methods

for

Mobile Elevating Work Platforms (MEWPs)



Additional information on ANSI/SAIA A92.20-2020
can be found at www.saiaonline.org/a92



This is a preview of "ANSI/SAIA A92.20 - 2...". [Click here to purchase the full version from the ANSI store.](#)

ANSI/SAIA A92.20-2020

Date of Publication: May 15, 2020

This Standard will become effective: June 1, 2020

This Standard was approved by the American National Standards Institute: May 7, 2020

The effective date is established by the standards developer and not by the American National Standards Institute.

This Standard was developed under procedures accredited as meeting the criteria for American National Standards (ANS). The Consensus Committee that approved the Standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed Standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public at large.

The Scaffold & Access Industry Association, Inc. (SAIA) does not “approve,” “rate,” or “endorse” any item, construction, proprietary device or activity.

The Scaffold & Access Industry Association, Inc. (SAIA) does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document and does not undertake to ensure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of this Standard are expressly advised that the determination of the validity of any such patent rights, and the risk of the infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated within the industry is not to be interpreted as government or industry endorsement of this standard.

The Scaffold & Access Industry Association, Inc. (SAIA) accepts responsibility for only those interpretations issued in accordance with governing ANSI Essential Requirements which preclude the issuance of interpretations by individual volunteers.

**ANSI/SAIA
A92.20-2020**

**AMERICAN NATIONAL STANDARD
establishing
DESIGN, CALCULATIONS,
SAFETY REQUIREMENTS
and TEST METHODS
for MOBILE ELEVATING
WORK PLATFORMS (MEWPs)**

Secretariat
Scaffold & Access Industry Association, Inc.

Approved: May 7, 2020
American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

Scaffold & Access Industry Association Inc.
400 Admiral Boulevard Kansas City, MO 64106
816.595.4860 • www.saiaonline.org

Copyright ©2020 by the Scaffold & Access Industry Association Inc.
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

Foreword (This foreword is not part of American National Standard for A92.20-2020.)

This standard is one of a series on Mobile Elevating Work Platforms developed under the committee procedures of the American National Standards Institute. The accredited A92 standards committee was organized by the Institute in 1948. The Scaffold & Access Industry Association Inc. serves as Secretariat.

The primary objective of this standard is to define rules for safeguarding persons and objects against the risk of accident associated with the operation of mobile elevating work platforms (hereafter referred to as MEWPs).

Interpretations and Suggestions for Improvement

All inquiries requesting interpretation of the Committee's approved American National Standards shall be in writing and directed to the Secretariat. The A92 Committee shall approve the interpretation before submission to the inquirer. No one but the A92 Committee is authorized to provide any interpretation of this standard.

All requests for interpretation and all suggestions for improvement shall be forwarded in writing to the ASC A92 Committee, c/o Secretariat ~ Scaffold & Access Industry Association, 400 Admiral Boulevard, Kansas City, MO 64106.

The A92 Committee solicits comments on and criticism of the requirements of the standards. The standards will be revised from time to time when necessary or desirable, as demonstrated by the experience gained from the application of the standards. Proposals for improvement of this standard will be welcome. Proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed rationale for the proposal including any pertinent documentation.

Erratum to A92.20-2018

Reference: Table 3— Performance Levels for Safety Devices *Updated December 19, 2018*

The A92.20 Subcommittee notes editorial errors in the 2018 edition of ANSI/SAIA A92.20, Standard Design, Calculations, Safety Requirements and Test Methods for Mobile Elevating Work Platforms (MEWPs). Paragraph of Standard References were replaced with the correct references, and duplicated descriptions or descriptions that did not reference back to the standard, were removed from the Descriptions Safety Function.

Revisions to A92.20-2020

The ANSI/SAIA A92.20-2020 contains revisions to eliminate Commercial Term Violations. Further clarification on the revisions can be found at www.saiaonline.org/a92.

This Standard was processed and approved for submittal to ANSI by Accredited Standards Committee A92 - Aerial Platforms. The ASC A92 Main Committee's approval of the standard does not necessarily imply that all committee members voted for its approval. At the time the ASC A92 committee approved this standard, the A92 - Aerial Platforms Committee had the following members:

Joshua Chard, Chairman
 Francis Bonesteel, Vice-Chairman
 DeAnna Martin, A92 Liaison

Organization Represented Name of Representative

Alimak Group USA, Inc.....	Gregory Janda Tony Dragone
Allied Insurance Brokers.....	Cameron Boots
Altec Industries Inc.	Bryan Hall Robert Crowder
Altec Neuco	Butch Barron Eric Lumberg
American Rental Association.....	John McClelland Kevin Gern
Arrowhead Aerial Products, Inc.....	Sharon McCarty
Arrowhead Product Development, Inc.....	Gary Werkhoven
Aspen Aerials, Inc.....	Patrick Clark Justin Laskowski
Association of Equipment Manufacturers (AEM).....	Jeff Jurgens
Beta Max Inc.....	
Blazing Technologies	Robert Backer
Bonesteel Construction Company	Frank Bonesteel
BrandSafway	Don Allen
Brent Hoover LLC	Brent Hoover
Brewington & Company	John Brewington
CED Technologies, Inc.....	George Wharton
Century Elevators	Paula Manning
CPWR The Center for Construction Research and Training	Michael Kassman Gary Gustafson
Diversified Inspections/ ITL	Jerry Tanner Ralph Goodwin
Duke Energy Carolina East	David Benson Sammy Nifong
Duke Energy Florida.....	Donald Barrows
Dur-A-Lift Inc.....	Douglas Brinkhous
Eckstine and Associates, Inc.....	Dennis Eckstine Matthew Eckstine
Elliott Equipment Company	Alan Calta Matt Gill
Entergy	James Labudde
EPRO Safety Solutions	Albert Eccles
Equipment Consultant Services Unlimited Inc.	Bradley Nester
Equipment Technology LLC	Bobby Taylor Will Urban
Eric A. Schmidt, P.E.	Eric Schmidt
Evulich & Associates	Barris Evulich
ExxonMobil	Frank Radio
EZ Scaffold	James Hinton
Florida Power and Light Company	Glenn Martin

Fraco Products Ltd.	Francois Villeneuve Shanon Beekman
Genie Industries.....	Jason Berry Harrison Jenkins
Global Rentals	Joshua Chard
Global Safety & Equipment Inc.....	Geoffrey Arther
H&E Equipment Services, Inc.	Frankie Wynn
Haulotte Group	Kevin Gildea, PE
Heath and Associates.....	Frederick Heath
Herc Rentals.....	Bill Cobb
Herc Rentals.....	Michael Hayden Jr.
Hubbell Power Systems, Inc.....	Dustin Sullivan
Hugg & Hall Equipment	Bob Hendricks
Hy-Brid Lifts/ Custom Equipment	Ben Froland Terry Dolan
Hydro Mobile Inc.....	Kevin O'Shea Sony Trudel
IBEW Local 164.....	Michael DeGiglio
International Masonry Institute (IMI)	David Wysocki
IPAF, Ltd.....	Tony Groat Dan Moss
IREX Contracting Group.....	Tom Pokornik
IVES Training & Compliance Group Inc.	Robert Vetter
JDB Equipment Company Inc.	David Sexton
JLG Industries Inc.....	Stephen Forgas
Mark Vaughn	
KHL Group/Access, Lift & Handlers Magazine.....	Tony Radke
Klimer Platforms Inc.....	James Gordon
Lee Electrical Construction Inc.	John Cook Jason Lee
Lewis Tree Service	Chris Maka Samuel Luna
Lift-A-Loft Corporation	Chris Barefoot
McClain & Co., Inc.....	Daniel McClain
MEC Aerial Work Platforms.....	Gary Crook Mark Kroeker
Merrifield Safety Consulting LLC	Dave Merrifield
MEWPs Inc.....	Richard Staples Scott Loura
ML Cranes & Equipment	Mickey Hodges
Moog USA Inc.....	Christina Moog Cindy Watson
Niftylift Inc.	Steven Redding James Clare
OEM Controls, Inc	Paul Rohaly Robert Wuertz
Parker - Helac.....	Carl Kishline
Pepco.....	Christopher Hughes
Phenix Technologies	Mark Miller
Pike Electric, LLC	Andy Cleary Kevin Watson
Piranha Safety	Eric Moran Homer Kyle
Power Equipment Leasing Co, Inc.....	Tracy Schroeder
ReechCraft Inc.....	Jason Solhjem Shane Nickel

Reynolds Engineering Services Inc.....	Stephen Reynolds
RLH Consulting LLC.....	Richard Hoffmeyer
Salt River Project (SRP).....	Brendan King
Scaffold Resource, LLC.....	Brett Friedel
SEA, LTD.....	Brian Boggess
Skyjack Inc.....	Ian McGregor
Snorkel International LLC.....	Jeff Eckhardt, P.E. Tony Deatherage
Southern California Edison.....	Randy Stone
Southern Company - Alabama Power Company.....	Herman Scott Jenny Taylor
Sunbelt Rentals.....	Jeffrey Stachowiak
Sunstate Equipment Co.....	Jake Kidd
Superior Scaffold Services Inc.	Shawn MacDonald
Technology International Co.....	Michael Zhou
Terex South Dakota, Inc.....	Jim Olson Dan Brenden
Terex Utilities, Inc.	Ted Barron
The Townsend Corporation.....	Mark Kimbrough
The VON Corporation.....	Fred von Herrmann
Time Manufacturing Company.....	James Christian Brian Davis
TNT Equipment Co.....	Michael Solomon
TrainMOR / Morrison Industrial Equipment.....	Scott Ahner
Tutus LLC.....	Forrest Hester Kevin Jones
United Rentals.....	Teresa Kee Lee Braden
Utility Truck Equipment & Parts LLC.....	John Mlaker
Vollmer-Gray Engineering.....	Paul Guthorn
Waco Boom Company Ltd.....	Jonathan Woods Bob Simon
Wiss, Janney, Elstner Associates Inc.....	Jason Kamman
Xtreme Manufacturing.....	Jake Adkins Jonathan Rasa
Zachry Group.....	Daniel Davis

Subcommittee A92.20 on Design, Calculations, Safety Requirements and Test Methods for Mobile Elevating Work Platforms (MEWPs), had the following members:

Brent Hoover, Chairman

Jake Adkins

Donald E. Allison, Ph.D., P.E.

Robert Backer

Thomas Baker

Jason Berry

Brad Boehler

Brian Boggess

Frank Bonesteel

John Brewington

Randall Breyer

Joshua Chard

James Christian

Brian Clark

Patrick Clark

Robert Crowder

Brian Davis

Michael DeGiglio

Donald Dorfman

Albert Eccles

Jeff Eckhardt, P.E.

Dennis Eckstine

Matthew Eckstine

Jared Evers

Bill Evia

Barris Evulich

Stephen Forgas

Kevin Gern

Kevin Gildea, PE

Tony Groat

Paul Guthorn

Bryan Hall

Forrest Hester

W. Mark Hinkel

Richard Hoffmeyer

Harrison Jenkins

Kevin Jones

Carl Kishline

Eric Lumberg

Ian McGregor

John Mlaker

Eric Moran

Daniel J. Moss

Jim Olson

Tony Radke

Steven Redding

Stephen Reynolds

Paul Rohaly

Don Schaller

Martin Schweizer

Herman Scott

R. Kevin Smith, P.E.

Jason Solhjem

Randy Stone

Tjaco Sussenbach

Mark Vaughns

Luke Webber

David White

Michael Zhou

Contents Section.....	Page
1. Scope and Purpose	2
1.1 Scope	2
1.2 Purpose	2
1.3 Applicability	2
1.4 Exclusions	3
1.5 Measurement	3
2. Referenced and Related American National Standards and Related Publications	3
2.1 Referenced American National Standards.....	3
2.2 Other Referenced Documents	4
3. Definitions.....	4
4. Safety Requirements and/or Protective Measures	11
4.1 Compliance	11
4.2 Structural and Stability Calculations	11
4.2.1 Calculations and Rated Load	11
4.2.2 Loads and Forces Acting on MEWP Structure.....	12
4.2.2.1 General	12
4.2.2.2. Forces Created by Rated Load and Structural Masses.....	12
4.2.2.3 Load Distribution on Work Platform	12
4.2.2.4 Wind Forces	13
4.2.2.4.1 Outdoor MEWPs.....	13
4.2.2.4.2 Shape Factors Applied to Surfaces Exposed to Wind	14
4.2.2.4.3 Surface Area of Persons on a Work Platform Exposed to Wind.....	14
4.2.2.4.4 Tools and Equipment on Work Platform Exposed to Wind	14
4.2.2.5 Manual Forces	14
4.2.2.6 Special Loads and Forces	14
4.2.3 Stability Calculations	15
4.2.3.1 Forces Created by Structural Masses and Rated Load.....	15
4.2.3.2 Wind Forces	15
4.2.3.3 Manual Forces	15
4.2.3.4 Special Loads and Forces	15
4.2.3.5 Calculation of Overturning and Stabilizing Moments	15
4.2.4 Structural Calculations.....	22
4.2.4.1 General	22
4.2.4.2 Analysis.....	23
4.2.4.2.1 General Stress Analysis	23
4.2.4.2.2 Elastic Stability Analysis.....	23
4.2.4.2.3 Fatigue-Stress Analysis.....	23
4.2.4.2.4 Effects of Stress Concentration and Ambient Temperature	24
4.2.5 Verification	24
4.3 Chassis and Stabilizing Devices	24
4.3.1 Automatic Safety Device	24
4.3.2 Chassis Inclination.....	24
4.3.3 Locking Pins	25
4.3.4 Control Bars.....	25
4.3.5 Control Bars Held in Vertical Position	25
4.3.6 Stabilizing Device Feet.....	25
4.3.7 Permitted Work Platform Positions.....	25
4.3.8 Prevention of Powered Stabilizing Device Movement.....	25
4.3.9 Manually Operated Stabilizing Devices.....	26
4.3.10 Movement of Stabilizing Devices	26

4.3.11 Hourmeter.....	26
4.3.12 Control Positions	26
4.3.13 Totally Manually Operated MEWPs	26
4.3.14 Oscillating Axle Lock or Control Systems.....	27
4.3.15 Self-Propelled MEWP Brakes.....	27
4.3.16 Unauthorized Use.....	27
4.3.17 Maximum Travel Speeds in Elevated Travel Position.....	27
4.3.18 Stopping Distances.....	28
4.3.19 Maximum Travel Speed of Pedestrian-Controlled MEWPs	28
4.3.20 Engine Exhaust	28
4.3.21 Filling Points for Fluids	28
4.3.22 Battery Constraint.....	29
4.3.23 Derailment and Run-Away Prevention	29
4.3.23.1 General	29
4.3.23.2 Proof Against Derailment.....	29
4.3.23.3 Load Cases for Prevention of Derailment During Moving	29
4.3.23.4 Limiting Use of MEWPs Due to Derailment Requirements	30
4.3.23.5 Prevention of Run-Away — Placement and Removal from Rails.....	30
4.4 Extending Structure.....	30
4.4.1 Methods to Avoid Overturning and Exceeding Permissible Stresses	30
4.4.1.1 General	30
4.4.1.2 Load-Sensing System.....	30
4.4.1.3 Position Control.....	31
4.4.1.3.1 General.....	31
4.4.1.3.2 Mechanical Limiting Devices	31
4.4.1.3.3 Non-Mechanical Limiting Devices	31
4.4.1.4 Moment-Sensing System.....	31
4.4.1.5 Criteria for Enhanced Stability for Limited Work Platform Dimensions.....	32
4.4.1.6 Criteria for Enhanced Overload for Limited Work Platform Dimensions.....	32
4.4.1.7 Variable Working Envelope with More Than One Rated Load	32
4.4.1.8 Variable Working Envelope with One Rated Load.....	33
4.4.1.9 Verification	33
4.4.2 Sequencing of Extending Structure	33
4.4.3 Trapping and Shearing	33
4.4.4 Supporting Extending Structure for Routine Maintenance	33
4.4.5 Speeds of Extending Structure.....	33
4.5 Extending Structure Drive Systems	34
4.5.1 General	34
4.5.1.1 Unintended Motion.....	34
4.5.1.2 Protection of Extending Structure from Power Sources	34
4.5.1.3 Failure of Transmission Chain or Belt.....	34
4.5.1.4 Kick-Back of Handles.....	34
4.5.1.5 Powered and Manual Drive Systems for the Same Function	34
4.5.1.6 Braking System for All Drives	35
4.5.2 Wire-Rope Drive Systems	35
4.5.2.1 Wire-Rope Drive System Safety	35
4.5.2.1.1 General.....	35
4.5.2.1.2 Mechanical Safety Device	35
4.5.2.1.3 Additional Wire-Rope Drive System	35
4.5.2.2 Load-Carrying Wire Ropes	36
4.5.2.3 System of Multiple Wire Ropes.....	36
4.5.2.4 Re-tensioning Wire Ropes	36
4.5.2.5 Terminations of Wire Ropes	36
4.5.2.6 Visual Examination of Wire Rope Terminations	37

4.5.2.7 Safety Device for MEWP Work Platforms Raised and Lowered by Wire Ropes.....	37
4.5.2.8 Rope Drum Grooves and Prevention of Rope Leaving the Ends of the Drum	37
4.5.2.9 Layers of Rope.....	37
4.5.2.10 Turns of Rope	37
4.5.2.11 Fastening Rope to Drum.....	37
4.5.2.12 Unintentional Displacement of Rope	37
4.5.2.13 Drum and Sheave Grooves	38
4.5.3 Chain Drive Systems	38
4.5.3.1 Limit of Vertical Movement in Case of Failure	38
4.5.3.1.1 General.....	38
4.5.3.1.2 Single-Chain Drive Systems.....	38
4.5.3.1.3 Two-Chain Drive Systems	38
4.5.3.2 Multiple Chains Attached to a Point.....	39
4.5.3.3 Tensioning Chains	39
4.5.3.4 Strength of Junction Between Chain and Termination	39
4.5.3.5 Visual Examination of Chains and Terminations	39
4.5.3.6 Safety Device for MEWP Work Platforms Raised and Lowered by Chains	39
4.5.3.7 Unintentional Displacement of Chain.....	39
4.5.4 Lead-Screw Drive Systems	39
4.5.4.1 Lead-Screw and Nut Design Stress and Material.....	39
4.5.4.2 Separation of Lead Screw from Work Platform	39
4.5.4.3 Load-Bearing Nut and Safety Nut.....	40
4.5.4.4 Detection of Wear on Nuts	40
4.5.5 Rack and Pinion Drive Systems	40
4.5.5.1 Design Stress of Racks and Pinions.....	40
4.5.5.2 Safety Device and Over-Speed Governor	40
4.5.5.3 Device to Prevent Pinion Disengagement	40
4.5.5.4 Visual Examination of Pinions.....	40
4.6 Work Platform	40
4.6.1 Level of Work Platform	40
4.6.2 Work Platform Materials	41
4.6.3 Guardrail (Protection) Systems	41
4.6.4 Anchorage(s)	41
4.6.5 Openings in Guardrails for Entrance and Exit.....	41
4.6.5.1 General	41
4.6.5.2 Special-Purpose Work Platforms	41
4.6.6 Floor of Work Platform.....	42
4.6.7 Chains or Ropes.....	42
4.6.8 Access Ladder	42
4.6.9 Handholds and Handrails	42
4.6.10 Trapdoors	42
4.6.11 Audible Warning Device	42
4.6.12 Means of Communication.....	42
4.6.13 Mechanical Stops	43
4.6.14 Work Platforms Constructed from Non-Conductive Materials.....	43
4.7 Controls	44
4.7.1 Activation and Operation	44
4.7.2 Direction of Movement.....	44
4.7.3 Location, Accessibility, Protection and Selection among Duplicate Controls	44
4.7.4 Emergency Stops	45
4.7.5 Electrical Switches.....	45
4.7.6 Pilot and Solenoid Valves.....	45
4.7.7 Restoration of Power after Failure.....	45
4.7.8 Overriding Emergency System.....	45

4.7.9 Speed Restriction	45
4.7.10 Automatic or Programmed Operation.....	46
4.8 Electrical Equipment	46
4.8.1 Relevant Norms and Standards	46
4.8.2 Main Power Disconnect/Security.....	46
4.8.3 Cables.....	46
4.8.4 Battery Protection	46
4.8.5 Ingress of Water	46
4.8.6 Electromagnetic Compatibility (EMC).....	47
4.9 Hydraulic Systems	47
4.9.1 Pressure-Limiting Device.....	47
4.9.2 Strength of Pipes and Connections.....	47
4.9.3 Bursting Strength of Hoses and Fittings.....	47
4.9.4 Pressure Rating of Other Components	47
4.9.5 Gauge Connections.....	47
4.9.6 Venting of Air	47
4.9.7 Inlet Filter.....	48
4.9.8 Fluid Level Indicators.....	48
4.9.9 Fluid Cleanliness	48
4.9.10 Gas-Loaded Accumulators	48
4.10 Hydraulic Cylinders	48
4.10.1 Structural Design	48
4.10.1.1 General	48
4.10.1.2 Normal Operating Conditions.....	48
4.10.1.2.1 Buckling	48
4.10.1.2.2 Constructional Details	49
4.10.1.2.3 Conditions Causing Pressure above Pressure-Limiting Device Pressures	49
4.10.1.3 Failure Conditions	52
4.10.1.3.1 Oil Leaking Past Piston Seals	52
4.10.1.3.2 Several Cylinders Operating the Same Mechanism	53
4.10.2 Prevention of Unintended Movement of Load-Holding Cylinders	53
4.10.3 Verification	53
4.11 Safety Devices	53
5. Verification of the Safety Requirements and/or Measures	55
5.1 Examinations and Tests	55
5.1.1 General	55
5.1.2 Design Check.....	55
5.1.3 Manufacturing Check	55
5.1.4 Tests.....	56
5.1.4.1 Dynamic Fall Arrest Anchorage Test.....	56
5.1.4.2 Stability Tests	57
5.1.4.2.1 Static Tests	57
5.1.4.2.2 Dynamic Tests on Types 2 and 3 MEWPs.....	58
5.1.4.2.2.1 General	58
5.1.4.2.2.2 Curb and Depression Tests	60
5.1.4.2.2.3 Braking Tests	61
5.1.4.3 Overload Test	62
5.1.4.4 Functional Tests	63
5.1.4.5 Underbridge MEWP Overload and Stability Tests	63
5.2 Type Tests	63
5.3 Production MEWP Tests	64

6. Information for Use	64
6.1 General	64
6.2 Operator's Manual	64
6.2.1 Content.....	64
6.2.2 Modifications	65
6.3 Parts and Service Manuals.....	65
6.4 Marking	65
6.4.1 General	65
6.4.2 Manufacturer's Plate	65
6.4.3 Work Platform	66
6.4.4 Multiple Rated Loads	67
6.4.5 Emergency Systems	67
6.4.6 Work Platform Rated Loads.....	67
6.4.7 MEWPs Designed for Indoor Use Only.....	67
6.4.8 External Power Supply Connections.....	67
6.4.9 Detachable Parts.....	67
6.4.10 Instructions.....	68
6.4.11 Projecting Extremities	68
6.4.12 Wheel/Stabilizing Device Load	68
6.4.13 Tire Pressure.....	68
6.4.14 Maintenance.....	68
6.4.15 Stabilizing Device Use	68
6.4.16 Pressurized Vessel	68
6.4.17 Annual Inspection.....	68

Appendixes (Informative)	Page
Appendix A	
Calculation of Wire Rope Drive Systems	69
Appendix B	
Calculation Example — Wire Rope Drive Systems	76
Appendix C	
Curb Test Calculations	82
Appendix D	
Additional Requirements for Wireless Controls and Control Systems.....	85
Appendix F	
MEWP Classifications	87

Introduction

This American National Standard is one of a series of standards produced by ANSI/SAIA A92 as part of its program of work regarding standardization of terminology, ratings, general principles (technical performance requirements and risk assessment), safety requirements, test methods, maintenance and operation for elevating work platforms used to raise (elevate) and position personnel (and related work tools and materials).

This Standard, ANSI/SAIA A92.20, along with companion Standards ANSI/SAIA A92.22 and ANSI/SAIA A92.24, have been developed to replace existing Standards ANSI/SAIA A92.3, ANSI/SAIA A92.5, ANSI/SAIA A92.6 and ANSI/SAIA A92.8. The reasoning that led to the development of these three new Standards was: to combine the requirements for MEWPs exhibiting similar configuration and application; to more closely harmonize with existing ISO Standards; and to more closely relate to a specific audience.

The objective of this American National Standard is to define principles of design, safety requirements and methods for verifying these safety requirements for mobile elevating work platforms (MEWPs). A MEWP is the product of activities that include design, production and testing to provide information on the MEWP.

This American National Standard does not repeat all the general technical rules applicable to every electrical, mechanical or structural component. Its safety requirements have been drawn up on the basis that MEWPs are periodically maintained according to given instructions, working conditions, frequency of use and national or other regulations. It is assumed that MEWPs are checked for function before start of work, whether used daily or seldom used, and are not put into operation unless all the required control and safety devices are available and in working order. Where, for clarity, an example of a safety measure is given in the text, it is not intended as the only possible solution. Any other solution leading to the same risk reduction is permissible if an equivalent level of safety is achieved.

American National Standard Establishing Design, Calculations, Safety Requirements and Test Methods for Mobile Elevating Work Platforms (MEWPs)

1. Scope and Purpose

1.1 Scope

1.1.1 This American National Standard specifies safety requirements and preventive measures, and the means for their verification, for certain types and sizes of mobile elevating work platforms (MEWPs) Intended to position personnel, along with their necessary tools and materials, at work locations. It contains the structural design calculations and stability criteria, construction, safety examinations and tests that shall be applied before a MEWP is first put into service.

1.1.2 Effective Dates

This standard is effective June 1, 2020 as follows:

1.1.2.1 Design, Manufacture and Remanufacture Requirements

- The design and manufacturing requirements of this Standard shall apply to all MEWPs manufactured/remanufactured on or after the effective date; and
- MEWPs manufactured/ remanufactured on or after the effective date shall comply with the requirements of this Standard.

1.1.2.2 Rebuild/Reconditioned Requirements

Rebuilt/reconditioned MEWPs shall comply with the Standards in effect as of the date of their original manufacture.

1.2 Purpose

1.2.1 This Standard is intended to serve as a guide for manufacturers, remanufacturers, engineers and designers of MEWPs to achieve the following objectives:

- a) prevention of accidents and personal injuries;
- b) establishment of criteria for design, manufacture, remanufacture, rebuild/recondition, testing and performance; and
- c) establishment and understanding by manufacturers, remanufacturers, engineers, and designers of their responsibilities.

1.3 Applicability

This American National Standard is not applicable to:

- a) permanently installed personnel-lifting appliances serving defined levels;