

This is a preview of "ANSI A108/A118/A136...". Click here to purchase the full version from the ANSI store.



A108.01  
A108.02  
A108.1A  
A108.1B  
A108.1C  
A108.4  
A108.5  
A108.6  
A108.8  
A108.9  
A108.10  
A108.11  
A108.12  
A108.13  
A108.14  
A108.15  
A108.16  
A108.17

A118.1  
A118.3  
A118.4  
A118.5  
A118.6  
A118.7  
A118.8  
A118.9  
A118.10  
A118.11  
A118.12

A136.1

# **American National Standard Specifications for the Installation of Ceramic Tile**

## **Material & Installation Standards**

ANSI A108, A118, & A136

# **American National Standards for the Installation of Ceramic Tile**

Secretariat  
Tile Council of North America, Inc.

Approved  
American National Standards Institute, Inc. (ANSI)

## **Abstract**

This publication is a compilation of voluntary standards for the installation of ceramic tile. American national standard specifications A108.01, .02, .1A, .1B, .1C, .4, .5, .6, .8, .9, .10, .11, .12, .13, .14, .15, .16, and .17 define the installation of ceramic tile. A118.1, .3, .4, .5, .6, .7, .8, .9, .10, .11, .12, and A136.1 define the test methods and physical properties for ceramic tile installation materials. These standards are intended to be referenced or included in the ceramic tile sections of project specifications.

### American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

**CAUTION NOTICE: These American National Standards may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw these standards. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.**

Published by:

Tile Council of North America, Inc.  
100 Clemson Research Boulevard  
Anderson, SC 29625

Copyright © 2008 Tile Council of North America, Inc.  
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

**Foreword (This foreword is not part of American National Standard A108, A118, or A136).**

These voluntary standards define the installation of ceramic tile as well as the test methods and physical properties for ceramic tile installation materials. They are intended to serve as a guide to the general public, manufacturers, distributors, specifiers, architects, tile contractors, testing laboratories, and other businesses and professionals in the tile industry.

While the existence of these standards does not in any respect preclude anyone, including those who have accepted them, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to this standard, producers of ceramic tile installation materials made in conformance with these standards are encouraged individually to indicate such conformance in advertising, promotion, and labeling.

These standards were processed and approved for submittal to ANSI by the Accredited Standards Committee (ASC) on Ceramic Tile A108. Committee approval of a standard does not necessarily imply that all committee members voted for its approval. The A108 Committee had the following members at the time of publication:

Don Scott Chairman  
Eric Astrachan Co-Secretary  
Kathy Snipes Secretary

<b>Organization Represented</b>	<b>Name of Representative</b>
ARCOM Inc., publishers of AIA MASTERSPEC .....	Buz Groshong
American Hotel and Lodging Association .....	Kevin Maher
APA The Engineered Wood Association .....	Fulton Desler
Artcraft Granite Marble and Tile .....	James Woelfel
Atlas Minerals and Chemicals .....	Mario Navarro
Bostik, Inc. ....	Sue Isble
Ceramic Tile and Stone Association of Arizona .....	Sam Hibbs
Ceramic Tile and Stone Consultants .....	Donato Pompo
Ceramic Tile Distributors Association .....	Sam Widener
Ceramic Tile Education Foundation .....	Dave Gobis
Ceramic Tile Institute of America .....	Gray LaFortune
Chicago Tile Institute .....	Larry Bourbon
Crossville, Inc. ....	Tim Bolby
Custom Building Products .....	David deBear
Dal-Tile Corporation .....	James Neel
David Allen Company .....	Don Scott
Detroit Ceramic Tile .....	Kurt Von Koss
Forensic Tile Consultants .....	Greg Mowat
Fortifiber Building Products .....	Roger Barker
Great Lakes Ceramic Tile Council .....	Gerald Chioini
Gypsum Association .....	Robert Wessel
Huntington Tile Group .....	David Adams
Int'l Union of Bricklayers and Allied Craftworkers .....	John Mason
Interceramic .....	Jose Luis Lopez
Intertek Testing Services NA, Inc. ....	John Mulder
ISO TC-189 Committee .....	Bob Daniels
Ironrock, Inc. ....	Roy Gorton, Jr.
James Hardie Building Products .....	Chad Diercks

Organization Represented continued

<b><u>Organization Represented</u></b>	<b><u>Name of Representative</u></b>
Laticrete International .....	Steve Fine
Malibu Art Tile & Stone .....	Lindell Lummer
MAPEI Corporation .....	Mike Micalizzi
Marble Institute of America .....	Chuck Muehlbauer
Materials and Methods Standards Association .....	Michael Montgomery
Michael Byrne Associates .....	Michael Byrne
National Association of Home Builders .....	No current representative
National Tile Contractors Association .....	Bart Bettiga
Nobel Company .....	Eric Edelmayer
Oceanside Glasstile Co. ....	Scott Fleming
Old Castle/Bonsal American .....	Tom Cassutt
Portland Cement Association .....	Jamie Farny
Professional Consultants International, LLC .....	Richard Goldberg
Radiant Panel Association .....	Dan Chiles
Schluter Systems .....	Peter Nielsen
StonePeak Ceramics .....	Noah Chitty
Summitville Tiles, Inc. ....	Joe Dutt
TCA Team, LLC .....	Stephanie Samulski
TCNA Underlayment Committee .....	Leigh Hightower
Terrazzo Tile & Marble Association of Canada .....	Dale Kempster
The Construction Specifications Institute .....	Howard Pryor
Tile and Stone Council of Northern California .....	John Wagner
Tile Contractors Association of America .....	Chris Walker
Tile Council of North America (TCNA) .....	Bill Griese
United Brotherhood of Carpenters .....	Steve Fuller
US TAG to ISO-189 .....	Greg Schad
Western States Ceramic Tile Contractors Association .....	William Steed
Wood Construction and Engineering Consultant .....	Frank Woeste

# Table of Contents

Foreword .....	iii
Committee Members .....	iii
1.0 Introduction .....	1
2.0 Notes for tile, material, accessories, and definitions .....	1
3.0 Guide for referencing American national standard specifications for installation of ceramic tile .....	3

## A108 - Installation Standards

### A108.01 General Requirements: Subsurfaces and Preparations by Other Trades

1.0 Introduction .....	6
2.0 General requirements for subsurfaces .....	6
2.1 General .....	6
2.2 Floor drains .....	6
2.3 Deflection .....	6
2.4 Backing surfaces .....	6
2.5 Backing materials for walls and ceilings .....	7
2.6 Backing materials for floors .....	8
2.7 Waterproofing .....	11
3.0 Related work specified in other sections .....	11
3.1 General .....	11
3.2 Requirements for concrete masonry: preparations by other trades .....	11
3.3 Requirements for lathing and portland cement plastering .....	13
3.4 Wood subfloors .....	15
3.5 Requirements for gypsum board: preparations by other trades .....	17
3.6 Requirements for plumbing: preparations by other trades .....	18
3.7 Requirements for movement joints: preparations by other trades .....	19
3.8 Damage to tilework .....	21
3.9 Maintenance .....	21

### A108.02 General Requirements: Materials, Environmental, and Workmanship

1.0 Introduction .....	22
1.1 Standards .....	22
2.0 Delivery, storage, and handling of materials at project site .....	24
2.1 Samples .....	24
2.2 Environmental conditions and protection .....	24
3.0 Materials .....	24
3.1 Ceramic tile .....	24
3.2 Cement .....	25
3.3 Aggregate .....	25
3.4 Hydrated lime .....	25
3.5 Water .....	25
3.6 Metal lath ( <i>previously A-2.1.6</i> ) .....	25
3.7 Reinforcing wire fabric ( <i>previously A-2.1.7</i> ) .....	25
3.8 Membrane or cleavage membrane ( <i>previously A-2.1.8</i> ) .....	25
3.9 Organic adhesives .....	26

3.10 Dry-set portland cement mortar .....	26
3.11 Latex-portland cement mortars .....	26
3.12 Primers .....	26
3.13 Chemical resistant water-cleanable tile-setting and –grouting epoxy: ANSI A118.3 .....	26
3.14 Water cleanable tile-setting epoxy adhesive: A118.3 .....	26
3.15 Chemical resistant furan resin mortar and grout: A118.5 .....	26
3.16 Ceramic tile grouts .....	26
3.17 Modified epoxy emulsion mortar and grout .....	26
3.18 Cementitious backer units .....	26
3.19 Divider strips .....	27
3.20 Thresholds .....	27
3.21 Proprietary and trade-marked materials .....	27
4.0 General requirements for tile installations .....	27
4.1 Inspection of surfaces and conditions .....	27
4.2 Portland cement mortar bed as a backing when specified .....	28
4.3 Workmanship, cutting, and fitting .....	29
4.4 Movement joints .....	30
4.5 Cleaning tile .....	31

### **A108.1A Installation of Ceramic Tile in the Wet-Set Method, with Portland Cement Mortar**

1.0 Application of metal lath and scratch-coat to walls and ceilings .....	32
1.1 Metal lath .....	32
1.2 Application of lath .....	32
1.3 Scratch and leveling coat mix for walls and ceilings .....	32
1.4 Application of scratch coat .....	33
2.0 Mortar mixes .....	33
2.1 Mortar for walls and ceilings .....	33
2.2 Mortar for floors .....	33
2.3 Mortar and special requirements for shower receptors .....	33
2.4 Mixing mortar .....	33
3.0 Bond coat mixes .....	34
3.1 Bond coat for walls, ceilings, floors and shower receptors .....	34
4.0 Spacing mix .....	34
5.0 Mortar application .....	34
5.1 Application of mortar to walls and ceilings .....	34
5.2 Application of mortar to concrete floors and deck .....	34
5.3 Application of mortar for floors, decks, and countertops over a cleavage membrane and for shower receptors .....	35
6.0 Installation of ceramic tile on walls, ceilings, floors, decks, and countertops .....	35
7.0 Grouting of tile .....	36
8.0 Curing .....	36

### **A108.1B Installation of Ceramic Tile on a Cured Portland Cement Mortar Setting Bed with Dry-Set or Latex-Portland Cement Mortar**

1.0 Installation of mortar setting beds on vertical and horizontal surfaces .....	37
2.0 Installation and grouting of tile .....	37

**A108.1C Contractor’s Option: Installation of Ceramic Tile in the Wet-Set Method with Portland Cement Mortar or Installation of Ceramic Tile on a Cured Portland Cement Mortar Setting Bed with Dry-Set or Latex-Portland Cement Mortar ..... 38**

**A108.4 Installation of Ceramic Tile with Organic Adhesives or Water Cleanable Tile-Setting Epoxy Adhesive**

1.0 Installation of ceramic tile for walls and ceilings .....	39
1.1 General .....	39
1.2 Preparation of surfaces .....	39
1.3 Adhesive application .....	39
1.4 Setting tile on walls and ceilings .....	39
2.0 Installation of tile for floors and countertops .....	40
2.1 General .....	40
2.2 Preparation of surfaces .....	40
2.3 Adhesive application .....	40
2.4 Setting tile floors and countertops.....	40
3.0 Grouting of tile .....	41

**A108.5 Installation of Ceramic Tile with Dry-Set Portland Cement Mortar or Latex-Portland Cement Mortar**

1.0 Mixing mortars .....	42
1.1 Mixing dry-set portland cement mortars .....	42
1.2 Mixing latex-portland cement mortars .....	42
2.0 Installation of tile for walls and ceilings .....	43
2.1 General .....	43
2.2 Applying dry-set portland cement or latex-portland cement mortar .....	43
2.3 Setting glazed wall tile (semi-vitreous and non-vitreous) .....	43
2.4 Setting ceramic mosaic tile .....	43
2.5 Setting quarry tile, paver tile, and other un-mounted vitreous and impervious tile .....	44
3.0 Installation of tile for floors .....	44
3.1 General .....	44
3.2 Applying dry-set portland cement mortar or latex-portland cement mortar .....	44
3.3 Setting floor tile .....	45
4.0 Grouting of tile .....	45

**A108.6 Installation of Ceramic Tile with Chemical Resistant, Water Cleanable Tile-Setting and Grouting Epoxy**

1.0 Mixing chemical resistant water cleanable tile-setting and -grouting epoxy .....	46
2.0 Installation of tile .....	46
2.1 General .....	46
2.2 Setting quarry tile, paver tile, and packing house tile with epoxy .....	46
2.3 Setting ceramic mosaic tile with epoxy .....	47
2.4 Setting tile with dry-set portland cement mortar or latex-portland cement mortar .....	47
2.5 Setting tile with portland cement mortar .....	47
3.0 Grouting of tile with epoxy .....	47
4.0 Curing.....	48



## **A108.8 Installation of Ceramic Tile with Chemical Resistant Furan Resin Mortar and Grout**

1.0 Mixing chemical resistant furan resin mortar and grout .....	49
2.0 Installation of tile .....	49
2.1 General .....	49
2.2 Packing house tile and corrosion resistant membrane construction .....	49
2.3 Setting quarry tile, paver tile, and packing house tile in epoxy and grouting with furan .....	50
2.4 Setting tile with dry-set portland cement mortar or latex-portland cement mortar .....	50
2.5 Setting tile with portland cement mortar .....	50
3.0 Grouting of tile with furan grout .....	51

## **A108.9 Installation of Ceramic Tile with Modified Epoxy Emulsion Mortar/Grout**

1.0 Mixing modified epoxy emulsion mortar/grout .....	52
2.0 Installation of tile .....	52
2.1 General .....	52
2.2 Setting quarry tile, paver tile, and packing house tile .....	52
2.3 Setting ceramic mosaic tile .....	53
3.0 Grouting of tile with modified epoxy emulsion .....	53
4.0 Curing .....	53

## **A108.10 Installation of Grout in Tilework**

1.0 Scope .....	54
2.0 Environmental conditions .....	54
3.0 Materials .....	54
4.0 Site conditions and preparation .....	55
5.0 Mixing grout .....	55
6.0 Cleaning... ..	56
7.0 Curing .....	56

## **A108.11 Interior Installation of Cementitious Backer Units**

1.0 General .....	57
2.0 General installation requirements .....	58
2.1 Delivery, storage, and handling of materials at project site .....	58
2.2 Environmental conditions .....	58
3.0 Materials .....	58
4.0 General framing requirement .....	58
4.1 Wood framing requirements .....	59
4.2 Steel framing requirements .....	59
4.3 Walls .....	59
4.4 Subfloor .....	59
4.5 Ceilings .....	59
5.0 General applications .....	60
5.1 Walls .....	60
5.2 Floors .....	60
5.3 Countertops .....	60
5.4 Ceilings .....	61
5.5 Joint treatment: floors, walls, and ceilings .....	61
Appendix - limitations and explanations .....	62

**A108.12 Installation of Ceramic Tile with EGP (Exterior Glue Plywood) Latex-Portland Cement Mortar**

1.0 Installation of tile for floor .....	63
1.1 General .....	63
1.2 Preparation of surface .....	63
1.3 Mixing EGP latex-portland cement mortar .....	63
1.4 Applying EGP latex-portland cement mortar .....	63
1.5 Setting tile .....	64
2.0 Grouting of tile .....	64

**A108.13 Installation of Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone**

1.0 Scope .....	65
2.0 Application of membrane to substrate .....	65
3.0 Curing of membrane and/or bonding material .....	65
4.0 Installation of ceramic tile over cured membrane .....	65
5.0 Grouting of tile .....	65

**A108.14 Installation of Paper-Faced Glass Mosaic Tile**

1.0 Scope .....	66
2.0 Application of metal lath and scratch-coat to walls and ceilings .....	66
3.0 Scratch and leveling coat mix for walls and ceilings .....	66
4.0 Application of scratch coat .....	67
5.0 Mortar mixes .....	67
5.1 Mortar for walls and ceilings .....	67
5.2 Mortar for floors .....	67
5.3 Mortar and special requirements for shower receptors .....	67
6.0 Bond coats for walls and ceilings, floors, counters, and shower receptors .....	68
7.0 Grout .....	68
8.0 Mortar application .....	69
9.0 Installation of paper-faced glass mosaic tile on walls, ceilings, floors, decks, and countertops .....	70
10.0 Finishing .....	70
11.0 Curing .....	70

**A108.15 Alternate Method: Installation of Paper-Faced Glass Mosaic Tile**

1.0 Scope .....	71
2.0 Substrate preparation .....	71
3.0 Bond coats .....	71
4.0 Grout (back-butter) selection .....	72
5.0 Sheet installation .....	72
6.0 Paper removal... ..	73
7.0 Curing .....	73

**A108.16 Installation of Paper-Faced, Back-Mounted, Edge-Mounted, or Clear Film Face-Mounted Glass Mosaic Tile**

1.0 Scope .....	74
2.0 Substrate preparation... ..	74
3.0 Bond coats .....	74
4.0 Notch trowel selection matrix .....	75
5.0 Adhesive application .....	75

6.0 Installing mounted tile .....	75
7.0 Paper removal .....	75
8.0 Installation of back-mounted or edge-mounted glass mosaic tile .....	76
9.0 Installation of clear film face-mounted mosaic tile .....	76
10.0 Cure times prior to grouting .....	76
11.0 Cleaning prior to grouting .....	76
12.0 Grout .....	76
13.0 Installation of grout in tile work .....	76

### **A108.17 Installation of Crack Isolation Membranes**

1.0 Scope .....	77
2.0 Application of membrane to substrate .....	77
3.0 Curing of membrane and/or bonding material .....	77
4.0 Installation of ceramic tile over cured membrane .....	77
5.0 Grouting of tile .....	77
6.0 Soft joints .....	78

## **A118, A136.1 - Material Specifications**

### **A118.1 American National Standard Specifications for Dry-Set Portland Cement Mortar**

Introduction .....	79
1.0 Scope .....	79
2.0 Definitions .....	79
2.1 Dry-set mortar .....	79
2.2 Ceramic tile .....	80
3.0 Sampling and testing procedures .....	80
3.1 Sample .....	80
3.2 Temperature .....	80
3.3 Recording test values .....	81
4.0 Test for application properties of dry-set mortars .....	81
4.1 Mortar preparations .....	81
4.2 Initial set .....	81
4.3 Final set .....	81
4.4 Open time .....	82
4.5 Adjustability .....	82
4.6 Sag on vertical surfaces .....	83
4.7 Cohesion immediately after application .....	84
5.0 Shear strength of mortars to ceramic tile .....	84
5.1 Shear strength of mortars to glazed wall tile .....	84
5.2 Shear strength of mortars to impervious ceramic mosaic tile .....	84
5.3 Shear strength of mortars to quarry tile .....	85
5.4 Support for shear specimens .....	86
5.5 Shear strength of fast-setting mortars .....	86
6.0 Additional requirements for comparison with portland cement .....	86
7.0 Package labeling .....	87

### **A118.3 American National Standard Specifications for Chemical Resistant, Water Cleanable Tile-Setting and -Grouting Epoxy and Water Cleanable Tile-Setting Epoxy Adhesive**

1.0 Scope .....	88
2.0 Definitions .....	88
2.1 Chemical resistant, water cleanable tile-setting and -grouting epoxy .....	88
2.2 Water cleanable tile-setting epoxy adhesive .....	88
2.3 Ceramic tile .....	88
3.0 Sampling and testing procedures .....	88
3.1 Sample .....	88
3.2 Temperature .....	89
3.3 Recording test values .....	89
4.0 Preparation of epoxy .....	89
5.0 Tests for application properties .....	89
5.1 Water cleanability .....	89
5.2 Initial setting time, service strength setting time .....	89
5.3 Shrinkage of the mixed components during cure .....	89
5.4 Sag in vertical joints .....	90
5.5 Bond strength to quarry tile .....	90
5.6 Compressive Strength .....	90
5.7 Tensile strength of the cured material .....	90
5.8 Thermal shock test .....	91
5.9 Chemical resistance .....	91
Figure 1.0 Support jig for bond strength test & Metric conversion table .....	92

### **A118.4 American National Standard Specifications for Latex-Portland Cement Mortar**

Introduction .....	93
1.0 Scope .....	93
2.0 Definitions .....	94
2.1 Latex-portland cement mortar .....	94
2.2 Ceramic tile .....	94
3.0 Sampling and testing procedures .....	95
3.1 Sample .....	95
3.2 Temperature .....	95
3.3 Recording test values .....	95
4.0 Tests for application properties .....	95
4.1 Mortar preparation .....	95
4.2 Initial set... ..	95
4.3 Final set .....	96
4.4 Open time .....	96
4.5 Adjustability .....	97
4.6 Sag on vertical surfaces .....	97
5.0 Shear strength to ceramic tile .....	98
5.1 Shear strength of mortars to glazed wall tile .....	98
5.2 Shear strength of mortars to impervious ceramic mosaic tile .....	99
5.3 Shear strength of mortars to quarry tile .....	100
5.4 Support for shear specimens .....	100
5.5 Shear strength of fast-setting mortars .....	100
6.0 Compressive strength .....	101
7.0 Package labeling .....	101

### **A118.5 American National Standard Specifications for Chemical Resistant Furan Mortars and Grouts for Tile Installation**

1.0 Scope .....	102
2.0 Definitions .....	102
2.1 Chemical resistant furan mortars and grouts .....	102
2.2 Ceramic units .....	102
3.0 Sampling and testing procedures .....	102
3.1 Sample .....	102
3.2 Test environment .....	102
3.3 Test values .....	102
4.0 Preparation of furan mortar and grout .....	102
5.0 Tests for application properties .....	103
5.1 Workability .....	103
5.2 Physically property requirements .....	103
5.3 Fillers .....	103
5.4 Chemical resistance .....	103
6.0 General requirements .....	103
Table 1: Physical property requirements; Minimum values, psi, (MPa) .....	104

### **A118.6 American National Standard Specifications for Standard Cement Grouts for Tile Installation**

1.0 Scope .....	105
2.0 Definitions .....	105
3.0 Property requirements for standard sanded and unsanded cement grouts .....	105
4.0 Tests for properties of standard sanded and unsanded cement grouts .....	106
4.1 Sampling and test procedures .....	106
4.2 Grout preparation .....	106
4.3 Linear shrinkage .....	106
4.4 Water absorption .....	107
4.5 Compressive strength .....	107
4.6 Tensile strength .....	107
4.7 Flexural strength .....	109
5.0 General requirements for all grouts .....	109

### **A118.7 American National Standard Specifications for Polymer Modified Cement Grouts for Tile Installation**

1.0 Scope .....	110
2.0 Definitions .....	110
2.1 Sand-portland cement grout .....	110
2.2 Polymer modified unsanded tile grout .....	110
2.3 Polymer modified sanded tile grout .....	110
3.0 Tests for properties of polymer modified cement grouts .....	110
3.1 Sampling and testing procedures .....	110
3.2 Grout preparation .....	111
3.3 Linear shrinkage .....	111
3.4 Water absorption .....	112
3.5 Compressive strength .....	112
3.6 Tensile strength .....	112
3.7 Flexural strength .....	114
4.0 General requirements for all grouts .....	114

**A118.8 American National Standard Specifications for Modified Epoxy Emulsion Mortar/Grout**

1.0 Scope .....	115
2.0 Definitions .....	115
3.0 Sampling and testing procedures .....	115
3.1 Sample .....	115
3.2 Test environment .....	116
3.3 Test value .....	116
4.0 Preparation of modified epoxy emulsion mortar/grout .....	116
5.0 Tests for application properties .....	116
5.1 Water cleanability .....	116
5.2 Initial set .....	116
5.3 Final set .....	116
5.4 Bond strength to quarry tile .....	116
5.5 Shear strength of mortars to glazed wall tile .....	117
5.6 Shear strength of mortars to impervious ceramic mosaic tile .....	118
5.7 Support for shear specimens .....	118
5.8 Comprehensive strength of the cured material .....	118
5.9 Tensile strength of the cured material .....	118
5.10 Flexural strength .....	119
5.11 Water absorption .....	119

**A118.9 American National Standard Specifications for Test Methods and Specifications for Cementitious Backer Units**

1.0 Scope .....	120
2.0 Definitions .....	120
2.1 Cementitious backer units .....	120
3.0 Sampling and testing procedures .....	120
3.1 Sampling .....	120
3.2 Test environment .....	120
3.3 Test values .....	120
4.0 Test for physical properties .....	120
5.0 General requirements .....	120
5.1 Freeze-thaw cycling .....	120
Table 1 – Physical property requirements .....	121

**A118.10 American National Standard Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone Installation**

Introduction .....	122
1.0 Scope .....	122
2.0 Definitions .....	122
2.1 Latex-portland cement mortar .....	122
2.2 Ceramic tile .....	122
3.0 Sampling and testing procedures .....	123
3.1 Sampling .....	123
3.2 Temperature .....	123
3.3 Recording test values .....	123
4.0 Tests for material properties .....	124
4.1 Fungus and micro-organism resistance .....	124
4.2 Seam strength .....	124

4.3 Breaking strength .....	124
4.4 Dimensional stability .....	124
4.5 Waterproofness .....	124
5.0 Shear strength to ceramic tile and cement mortar .....	125
5.1 Preparation of mortar blocks .....	125
5.2 Preparation of shear bond assemblies .....	125
5.3 7-day shear strength .....	125
5.4 7-day water immersion shear strength .....	125
5.5 4-week shear strength .....	125
5.6 12-week shear strength .....	125
5.7 100-day water immersion shear strength .....	125
6.0 System performance .....	126

**A118.11 American National Standard Specifications for EGP (Exterior Glue Plywood) Latex-Portland Cement Mortar**

Introduction .....	127
1.0 Scope .....	127
2.0 Definitions .....	128
2.1 EGP (Exterior glue plywood) latex-portland cement mortar .....	128
2.2 Ceramic tile .....	128
2.3 Plywood .....	128
3.0 Sampling and testing procedures .....	128
4.0 Shear strength to quarry tile .....	128
4.1 Preparation of specimens .....	128
4.2 Shear strength of fast-setting EGP (Exterior glue plywood) mortars .....	129
4.3 Support for shear specimens .....	129
5.0 Package labeling .....	130

**A118.12 American National Standard Specifications for Crack Isolation Membranes for Thin-Set Ceramic Tile and Dimension Stone Installation**

Introduction .....	131
1.0 Scope .....	131
2.0 Definitions .....	132
2.1 Latex-portland cement mortar .....	132
2.2 Movement joints .....	132
2.3 Ceramic tile .....	132
2.4 Concrete test substrate .....	133
3.0 Sampling and testing procedures .....	133
3.1 Sample .....	133
3.2 Temperature .....	133
3.3 Recording test values .....	133
4.0 Tests for material properties .....	134
4.1 Fungus and microorganism resistance .....	134
5.0 Tests for system performance .....	134
5.1 Shear strength to ceramic tile and cement mortar .....	134
5.2 Point load test .....	135
5.3 Robinson floor test .....	135
5.4 System crack resistance test .....	136

## **A136.1 American National Standard Specifications for Organic Adhesives for Installation of Ceramic Tile**

1.0 Purpose .....	138
2.0 Scope .....	138
3.0 Classification .....	138
4.0 Definition .....	139
4.1 Ceramic tile .....	139
4.2 Organic adhesive .....	139
4.3 Commercial construction .....	139
4.4 Light construction; dry or limited water exposure walls .....	139
4.5 Light construction; wet walls .....	139
4.6 Residential construction floors .....	139
5.0 Requirements .....	139
5.1 Stability in storage .....	139
5.2 Shear strength .....	139
5.3 Heat resistance .....	140
5.4 Impact test .....	140
5.5 Stain test .....	140
5.6 Resistance to mold growth .....	140
6.0 Sampling and testing procedures .....	140
6.1 Stability in storage .....	140
6.2 Shear strength .....	140
6.3 Stain test .....	144
6.4 Test for mold growth .....	144
7.0 Manufacturer's instructions .....	145
7.1 Application .....	145
7.2 Storage .....	145
8.0 Toxicity and flammability .....	145

### **List of Figures**

Figure 1.0 Support jig for bond strength test .....	92
Figure 2.0 Ceramic tile test assembly plate .....	146
Figure 3.0 Ceramic tile test assembly lower portion .....	146
Figure 4.0 Oven .....	146
Figure 5.0 Open time adjustability tool .....	147
Figure 6.0 Tile application jig .....	148
Figure 7.0 Application pattern .....	148
Figure 8.0 Sag measuring jig .....	148
Figure 9.0 T-bar spacer .....	149
Figure 10.0 Shear bond test jig .....	149
Figure 11.0 Tile setting pattern for system crack resistance test .....	150
Figure 12.0 System crack resistance test apparatus .....	151



This is a preview of "ANSI A108/A118/A136...". [Click here to purchase the full version from the ANSI store.](#)

# **American National Standard Specifications for Installation of Ceramic Tile ANSI A108.01, .02, .1A, .1B, .1C, .4, .5, .6, .8, .9, .10, .11, .12, .13, .14, .15, .16, and .17**

**NOTE: The following Introduction and Notes are not part of American National Standards A108, A118, or A136.1 which are included herein – 2005.**

## **1.0 Introduction**

**1.1** The applicable ANSI specifications for ceramic tile installed with portland cement mortar, dry-set or latex-portland cement mortar, organic adhesive, epoxy adhesive, chemical resistant water cleanable tile-setting and -grouting epoxy, chemical resistant furan mortar and grout, modified epoxy emulsion mortar, and the ANSI specifications for the installation of ceramic tile grouts should be made a part of a project specification by reference or by copying the applicable parts of the ANSI specification and including into the ceramic tile sections of a project specification. In either case, augment the ANSI specifications and modify the specific project conditions.

**NOTE** – If ceramic tiles irregular in size and/or thickness (not conforming to ANSI A137.1) are specified and specialized methods are required for installation, labor and material costs will be increased.

**1.2** American national standard specifications A118.1, .3, .4, .5, .6, .7, .8, .9, .10, .11, and .12, and A136.1 for ceramic tile installation materials are included with these ANSI specifications as separate documents and should also be referenced or included in project specifications.

**1.3** The term “thin-set” is not specific. “Thin-set” describes a family of products manufactured to be used as setting and/or bonding coats. When a thin-set method is desired for which there is a specification, the appropriate ANSI specification should be referenced by both number and title.

## **2.0 Notes for tile material, accessories, and definitions**

**2.0.1** Include a full description of each type of tile to be used in project specification. Refer to A108.02 Paragraph 3.1.1 of the standard specifications herein in addition to grade markings on tile containers. When specified by the architect, Master Grade Certificates will be issued at the time of shipment. The covering order is required to show the names of the architect and owner and the name and location of the project. Specimens of the Master Grade Certificate and applicable labels are shown in ANSI A137.1.

**2.0.2** For each specialty tile being chosen, review installation guidelines supplied by the manufacturer/distributor of the specialty tiles and/or adhesive manufacturer. Specialty tiles include but are not limited to tiles made from non-ceramic materials.

### **2.1 Exteriors**

On exteriors, use only tile recommended by the manufacturer as suitable for the climatic conditions of the locality.

### **2.2 Interiors**

Use only tile types recommended by the manufacturer as suitable for walls and/or floors (traffic areas).