


This is a preview of "ANSI A137.1:2017". Click here to purchase the full version from the ANSI store.



ANSI A137.1—2017

Release date: August 2017

For updates: www.TCNAtile.com



American National Standard Specifications for Ceramic Tile



This is a preview of "ANSI A137.1:2017". Click here to purchase the full version from the ANSI store.

MORE STANDARD TESTS.
Comprehensive Custom Services.
The Customer Care and Responsiveness
YOU DESERVE.



At TCNA Lab Services, we're ready to put North America's most experienced independent tile-and-stone-specific product performance testing laboratory to work for you in assessing the characteristics of your ceramic tiles, glass tiles, dimension stone, and installation materials. You'll have access to an incomparable catalog of services: no other lab offers the experience and the comprehensive testing menu we provide. In addition to more than 70 standard tests, including 45 accredited standard test methods, we offer an extensive range of custom services, including targeted research, product development work, testing developed for future standards, and testing to explore or show specific attributes.

We're always ready to supply the analytics you need along the journey to innovation.

International.TCNALab.com



ANSI A137.1–2017

Release date: August 2017

For updates: www.TCNAtile.com

American National Standard Specifications for Ceramic Tile

Secretariat

Tile Council of North America, Inc.

Approved

American National Standards Institute, Inc.

Abstract

This publication presents voluntary standard specifications for ceramic tile. It lists and defines various types, sizes, physical properties, and grading procedures for ceramic tile, including mosaic tile, quarry tile, pressed floor tile, glazed wall tile, porcelain tile, trim units, and specialty tile. This standard provides quality criteria for buyers, specifiers, installers, manufacturers, and the public in general. It is intended for reference or inclusion in the ceramic tile section of project specifications and contracts.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretation should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute. For information regarding the latest version of this standard, including any updates since the last printing, refer to www.TCNAtile.com.



Tile Council of North America
100 Clemson Research Blvd.
Anderson, SC 29625
864-646-8453
www.TCNAtile.com

COPYRIGHT © 2017 Tile Council of North America

Printed in the United States of America

ISBN 978-0-9977681-2-1
Library of Congress Control Number: 2017948170

ALL RIGHTS RESERVED. No part of this work covered by the copyright hereon may be reproduced or used in any form or by any means (graphic, electronic, or mechanical, including photocopying, recording, taping, internet distribution or information storage and retrieval systems) without the written permission of the publisher.

Published by Tile Council of North America

NOTICE OF DISCLAIMER AND LIMITATION OF LIABILITY

THIS PUBLICATION AND ALL OF THE INFORMATION IT CONTAINS ARE PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED. ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT, ARE HEREBY EXPRESSLY DISCLAIMED.

PUBLISHER HAS NOT PERFORMED ANY INDEPENDENT ANALYSIS IN CONNECTION WITH ANY OF THE INFORMATION CONTAINED HEREIN, AND EXPRESSLY DISCLAIMS ANY OBLIGATION TO OBTAIN AND INCLUDE INFORMATION OTHER THAN THAT PRESENTED HEREIN RESULTING FROM THE AMERICAN NATIONAL STANDARDS INSTITUTE ACCREDITED STANDARDS COMMITTEE A108 CONSENSUS PROCESS.

THIS INFORMATION DOES NOT PURPORT TO ADDRESS SAFETY ISSUES OR APPLICABLE REGULATORY REQUIREMENTS ASSOCIATED WITH ITS USE. IT IS THE RESPONSIBILITY OF THE USER OF THIS INFORMATION TO REVIEW ANY APPLICABLE CODES AND OTHER REGULATIONS AND ANY SITE SPECIFIC CONDITIONS IN CONNECTION WITH THE USE OF THIS INFORMATION. PUBLISHER EXPRESSLY MAKES NO REPRESENTATIONS OR WARRANTIES REGARDING USE OF THIS INFORMATION AND COMPLIANCE WITH ANY APPLICABLE STATUTE, RULE OR REGULATION.

THE READER IS EXPRESSLY WARNED TO CONSIDER AND ADOPT ALL SAFETY PRECAUTIONS APPROPRIATE FOR THE ACTIVITIES HEREIN AND TO AVOID ALL POTENTIAL HAZARDS. SUCH PRECAUTIONS ARE GENERALLY NOT LISTED HEREIN AND ARE OUTSIDE THE SCOPE OF THIS DOCUMENT.

UNDER NO CIRCUMSTANCES WILL PUBLISHER BE LIABLE TO ANY PERSON OR BUSINESS ENTITY FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION ANY AND ALL DIRECT, INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES, RESULTING, IN WHOLE OR IN PART, FROM ANY USE OF, REFERENCE TO, OR RELIANCE UPON THIS PUBLICATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE FOREGOING LIMITATION OF LIABILITY IS A FUNDAMENTAL ELEMENT OF THE USE OF THIS INFORMATION AND THE INFORMATION WOULD NOT BE OFFERED BY THE PUBLISHER WITHOUT SUCH LIMITATION.

Production Staff

Eric Astrachan, Executive Director, TCNA

Bill Griese, Director of Standards Development and Sustainability Initiatives, TCNA

Stephanie Samulski, Installation Specialist, TCNA

Katelyn Simpson, Laboratory Manager, TCNA

Ryan Marino, Standards Development and Laboratory Engineer, TCNA

Lynn M. Zott, Project Manager, TCNA

Kathy Meyer, Marketing Director, TCNA

Foreword

This foreword is not part of American National Standard A137.1.

This voluntary standard lists and defines various types, sizes, physical properties and grading procedures for ceramic tile. It is intended to serve as a guide to the general public, manufacturers, distributors, specifiers, architects, tile contractors, testing laboratories, and other businesses and professionals in the tile industry.

While the existence of the standard does not in any respect preclude anyone, including those who have accepted it, from manufacturing, marketing, purchasing or using products, processes or procedures not conforming to this standard, producers of ceramic tile made in conformance with this standard are encouraged individually to indicate such conformance in advertising, promotion, and on tags and labels.

This standard was processed and approved for submittal to ANSI by the Accredited Standards Committee (ASC) on Ceramic Tile A108. Committee approval of a standard does not necessarily imply that all committee members voted for its approval. The A108 Committee had the following members at the time of publication:

Chris Walker, Chairman
 Nyle Wadford, Vice Chairman
 Katelyn Simpson, Secretary
 Eric Astrachan, Co-Secretary

Committee Members

Organization Represented	Name of Representative
APA – The Engineered Wood Association	B.J. Yeh
ARCOM, Inc	Ronald Ray
ARDEX Americas	Mark Pennine
Artcraft Granite Marble and Tile	James Woelfel
ARTO Brick California Pavers.....	William Love
Atlas Minerals and Chemicals	Steve Abernathy
Bostik, Inc.....	Chad Bulen
Ceramic Tile and Stone Association of Arizona	Sam Hibbs
Ceramic Tile and Stone Consultants.....	Donato Pompo
Ceramic Tile Distributors Association	Sam Widener
Ceramic Tile Education Foundation	Scott Carothers
Ceramic Tile Institute of America, Inc.	Gray Lafortune
Chicago Tile Institute.....	Scott Conwell
Construction Specifications Institute	Randall Chappie
Crossville, Inc	Noah Chitty
Custom Building Products	Steve Taylor
Dal-Tile International	Terry Adams
David Allen Company.....	Martin Howard
Detroit Ceramic Tile Contractors Association	Kurt Von Koss
Florida Tile, Inc	Armando Bergamini
Forensic Tile Consultants	Greg Mowat
Fortifiber Building Systems Group	Roger Barker
Glass Tile Consultants.....	Scott Fleming
Great Lakes Ceramic Tile Council.....	Gerald Chiolini
Gypsum Association.....	Michael Schmeida
Institute of Inspection, Cleaning, and Restoration Certification.....	Robert Daniels
InterCeramic.....	Eduardo Rios
International Union of Bricklayers and Allied Craftworkers.....	Mike Hawthorne
ISO TC-189 Committee.....	Svend Hovmand

Committee Members (continued)

Organization Represented	Name of Representative
James Hardie Building Products.....	Chad Diercks
Laticrete International, Inc.....	Steve Fine
Malibu Art Tile & Stone.....	Lindell Lummer
MAPEI Corporation	Dan Marvin
Marble Institute of America	Chuck Muelbauer
Materials and Methods Standards Association	Aiping Lu
Metropolitan Ceramics/Ironrock, Inc.....	Guy Renkert
Moore Engineering Services.....	Scott D. Moore
National Association of Home Builders.....	Gary Ehrlich
National Terrazzo and Mosaic Association	Gary French
National Tile Contractors Association	Chris Walker
Neuse Tile Service, Inc.....	Nyle Wadford
Noble Company	Jim Wadaga
Oceanside Glasstile Company	Brian Fitzgerald
Portland Cement Association.....	Jamie Farny
Professional Consultants International, LLC	Richard Goldberg
Radiant Panel Association.....	Tracy Hall
Schluter Systems	Sean Gerolimatos
Steel Framing Industry Association.....	Patrick W. Ford
StonePeak Ceramics, Inc.....	Federica Minozzi
Summitville Tiles, Inc.....	Joe Dutt
TCA Team, LLC	Stephanie Samulski
TCNA Underlayment Committee.....	Mike Micalizzi
Terrazzo Tile and Marble Association of Canada	Dale Kempster
Tile and Stone Council of Northern California.....	Rich Galliani
Tile Contractors Association of America	John Trendell
Tile Council of North America, Inc.....	Bill Griese
UL Environment.....	Josh Jacobs
United Brotherhood of Carpenters	Eric Kastner
United States Gypsum Corporation	Yanfei Peng
US TAG to ISO TC-189 WG3	Greg Schad

Standards

The following standards are referred to in the body of this standard by ASTM designation only and by reference are incorporated in this American National Standard. Dates following ASTM designation indicate date of publication or latest revision. Dates in parentheses indicate date on which standard was reaffirmed. Current edition of these standards should be utilized at all times.

Standard Designation	Title
ASTM C370-12 (2016)	Standard Test Method for Moisture Expansion of Fired Whiteware Products
ASTM C372-94 (2016)	Standard Test Method for Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method
ASTM C373-16	Standard Test Methods for Determination of Water Absorption and Associated Properties by Vacuum Method for Pressed Ceramic Tiles and Glass Tiles and Boil Method for Extruded Ceramic Tiles and Non-tile Fired Ceramic Whiteware Products
ASTM C424-93 (2016)	Standard Test Method for Craze Resistance of Fired Glazed Whitewares by Autoclave Treatment
ASTM C482-02 (2014)	Standard Test Method for Bond Strength of Ceramic Tile to Portland Cement Paste
ASTM C484-99 (2014)	Standard Test Method for Thermal Shock Resistance of Glazed Ceramic Tile
ASTM C485-16	Standard Test Method for Measuring Warpage of Ceramic Tile
ASTM C499-09 (2014)	Standard Test Method for Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile
ASTM C502-16	Standard Test Method for Wedging of Flat, Rectangular Ceramic Wall and Floor Tile
ASTM C609-07 (2014)	Standard Test Method for Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile
ASTM C648-04 (2014)	Standard Test Method for Breaking Strength of Ceramic Tile
ASTM C650-04 (2014)	Standard Test Method for Resistance of Ceramic Tile to Chemical Substances
ASTM C1026-13	Standard Test Method for Measuring the Resistance of Ceramic Tile to Freeze-Thaw Cycling
ASTM C1027-09	Standard Test Method for Determining Visible Abrasion Resistance of Glazed Ceramic Tile
ASTM C1028-07 (withdrawn – historical standard)	Standard Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method
ASTM C1243-93 (2015)	Standard Test Method for Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc
ASTM C1378-04 (2014)	Standard Test Method for Determination of Resistance to Staining

Table of Contents

Foreword	iv
Committee Members.....	iv
Standards.....	vi
1.0 Purpose	1
2.0 Scope	1
3.0 Definition of Terms.....	1
4.0 Tile Classification	5
4.1 Class.....	5
5.0 Procedures for Sampling and Testing and Basis for Acceptance.....	5
5.1 Lot Size.....	5
5.2 Sample Size.....	5
5.3 Sampling Plan	5
5.4 General Procedure for Sampling, Testing, Basis for Acceptance, and Aesthetic Classification and Shade Variations.....	6
5.5 Basis for Acceptance	8
6.0 Ceramic Tile (Field and Trim).....	9
6.1 Allowable Properties by Tile Type	9
6.2 Field Tile	15
6.3 Trim Units	19
7.0 Specialty Tile	20
7.1 Freeze-Thaw Cycling.....	20
7.2 Moisture Expansion.....	20
7.3 Linear Thermal Expansion.....	20
7.4 Visible Abrasion Resistance	20
7.5 Dynamic Coefficient of Friction	20
7.6 Performance of Specialty Tile	20
8.0 Grade Marking and Certification	20
8.1 Grade Marking Distinguishes Various Qualities and Attributes of Ceramic Tiles	20
8.2 Definition of Grades	20
8.3 Labeling Procedures	21
8.4 Authorized Use.....	21
8.5 Certification	21
8.6 Pre-Certification	21
9.0 Applicable Evaluation Procedures	21
9.1 Procedure for Determining Structural Defects in Field Tile and Trim Units	21
9.2 Procedure for Evaluating Ceramic Tile for Facial Defects.....	22
9.3 Test Method for Color Difference (Shading) of Monochromatic (Aesthetic Class V0) Glazed Ceramic Field Tile	22
9.4 Evaluation of Shade Value of Ceramic Tiles (Aesthetic Classes V1 to V4).....	23
9.5 Test Method for Mounting Variations	23
9.6 Procedure for Dynamic Coefficient of Friction (DCOF) Testing:	24

Tables

Table 1: Class and Corresponding Water Absorption (wa) Ranges	5
Table 2: 2.5% AQL Inspection Level 2 Normal Sampling Plan	6
Table 3: Aesthetic Classes	7
Table 4: Test Classification	8
Table 5: Index of Specification Tables	9
Table 6: Mosaic Tile.....	10
Table 7: Quarry Tile.....	11
Table 8: Pressed Floor Tile	12
Table 9: Glazed Wall Tile.....	13

Table 10: Porcelain Tile.....	14
Table 11: Deep Abrasion	17
Table 12: Visible Abrasion Classification	17
Table 13: Chemical Resistance Classification.....	18
Table 14: Stain Resistance Classification.....	18
Table 15: Determining Number of Grout Joints for Measurement – Example.....	24
Table 16: Dynamic Coefficient of Friction with 0.05% SLS Water	28

Figures

Figure 1: BOT3000	29
Figure 2: Diagram of Sanding Device.....	29
Figure 3: Photo of Sanding Device.....	29
Figure 4: SBR Sensor.....	29
Figure 5: SBR Sensor With Wear Line.....	29
Figure 6: SBR Sensor Without Wear Line.....	29
Figure 7: Mosaic Surface 1x1 Trim.....	30
Figure 8: Mosaic Surface 2x2 Trim.....	30
Figure 9: Mosaic Conventional 1x1 Trim	30
Figure 10: Mosaic Conventional 2x2 Trim	30
Figure 11: Mosaic Pool Edge Trim.....	30
Figure 12: Mosaic Surface 1x1 Flat Top Base.....	30
Figure 13: Mosaic Surface 1x1 Round Top Base, Option 1	31
Figure 14: Mosaic Surface 1x1 Round Top Base, Option 2	31
Figure 15: Mosaic Surface 1x1 Round Top Base, Option 3	31
Figure 16: Mosaic Surface 2x2 Flat Top Base, Option 1	31
Figure 17: Mosaic Surface 2x2 Flat Top Base, Option 2	31
Figure 18: Mosaic Surface 2x2 Round Top Base	31
Figure 19: Quarry 4x8 Bullnose	32
Figure 20: Quarry 6x6 Bullnose	32
Figure 21: Quarry 6x8 Round Top Base	32
Figure 22: Quarry 4x8 Round Top Base	32
Figure 23: Quarry 6x6 Round Top Base	32
Figure 24: Quarry 6x6 Flat Top Base.....	32
Figure 25: Quarry 6x8 Flat Top Base.....	33
Figure 26: Pressed Floor/Porcelain 8x8 Trim, Option 1.....	33
Figure 27: Pressed Floor/Porcelain 8x8 Trim, Option 2.....	33
Figure 28: Pressed Floor/Porcelain 8x8 Trim, Option 3.....	33
Figure 29: Pressed Floor/Porcelain 12x12 Trim.....	33
Figure 30: Pressed Floor/Porcelain 6x8 Round Top Base.....	34
Figure 31: Glazed Wall 4x4 Surface Trim.....	34
Figure 32: Glazed Wall 6x8 Surface Trim.....	34
Figure 33: Glazed Wall 4x4 Surface Bullnose	34
Figure 34: Glazed Wall 6x6 Surface Bullnose	34
Figure 35: Glazed Wall 2x6 Surface Bullnose	35
Figure 36: Glazed Wall 2x4 Surface Bullnose	35
Figure 37: Glazed Wall 4x6 Surface Bullnose	35
Figure 38: Glazed Wall 6x4 Surface Bullnose	35
Figure 39: Glazed Wall 4x4 Base.....	35
Figure 40: Glazed Wall 4x4 Sanitary Base	35
Figure 41: Glazed Wall 4x6 Sanitary Base	35
Figure 42: Glazed Wall 6x6 Sanitary Base	35
Figure 43: Glazed Wall Counter Rail (Sink Rail).....	36
Figure 44: Glazed Wall 4x4 Conventional Trim.....	36
Figure 45: Glazed Wall 6x6 Conventional Trim.....	36
Figure 46: Glazed Wall 4x6 Conventional Trim.....	36

Figure 47: Glazed Wall 6x4 Conventional Trim.....	37
Figure 48: Glazed Wall 2x6 Conventional Bullnose.....	37
Figure 49: Glazed Wall 4x4 Conventional Bullnose.....	37
Figure 50: Glazed Wall 6x6 Conventional Bullnose.....	37
Figure 51: Glazed Wall 2x6 Conventional Base	37
Figure 52: Glazed Wall 6x6 Conventional Base, Option 1.....	38
Figure 53: Glazed Wall 6x6 Conventional Base, Option 2.....	38
Figure 54: Glazed Wall 4x6 Conventional Base	38
Figure 55: Glazed Wall Quarter Round Trim	38
Figure 56: Glazed Wall Double Return Trim.....	38
Figure 57: Master Grade Certificate	39
Figure 58: Letter of Compliance Certificate	40

This is a preview of "ANSI A137.1:2017". [Click here to purchase the full version from the ANSI store.](#)

American National Standard Specifications for Ceramic Tile

ANSI A137.1 – 2017

1.0 Purpose

These specifications serve as a reference standard for buyers and specifiers of Standard Grade and Second Grade ceramic tile, Decorative Tile, and Specialty Tile. These specifications are also a guide to producers in maintaining quality control of the manufacture of such ceramic tile.

2.0 Scope

These Specifications describe the normally available sizes and shapes of ceramic tile: the physical properties of Standard Grade and Second Grade Ceramic Tile, Decorative Tile and Specialty Tile; the basis for acceptance and methods of testing prior to installation; the marking and certification of ceramic tile; and the definitions of terms employed in these specifications.

3.0 Definition of Terms

Aesthetic Class: A value assigned by the producer to a tile series (V0, V1, V2, V3, or V4). The letter 'V' indicates "variation," with the numbers quantifying the degree of variation of overall color and/or texture. The color can vary in intensity, brightness, hue, and saturation, or by pattern variation. This value is intended to give an indication of what a consumer can visually expect for a specific product. See Table 3.

Basis for Acceptance: The method of determining whether a lot of ceramic tile is acceptable under these specifications.

Caliber Range: An acceptable size range for tiles to be used in the same installation.

Calibrated Tile: Tiles that have been sorted to meet a manufacturer's stated caliber range.

Ceramic Mosaic Tile: Tile, usually ¼ inch (6.35 mm) to 3/8 inch thick (9.53 mm), and having a facial area of less than 9 inch² (5806 mm²). Such tiles are typically mounted in sheets or strips with other mosaic tiles.

Ceramic Tile: See definition for Tile.

Commercial: Flooring areas that are subjected to considerable traffic and abrasive soil. Some examples of these would be: entrances, workrooms, inns, exhibition halls, and salesrooms.

Decorative Tile: A tile that is suitable for decorative use where the aesthetic value may outweigh one or more physical properties including, but not limited to: breaking strength, chemical resistance, or crazing resistance. Such a tile is generally used for interior decorative wall applications.

Dynamic Coefficient of Friction (DCOF): Sometimes called kinetic coefficient of friction. This is the ratio of the force necessary to keep a surface already in motion sliding over another divided by the weight (or normal force) of an object. This force is a materials property of the two surfaces. DCOF is usually less than SCOF for the same materials. Contaminants such as dirt, water, soap, oil, or grease can change this value.

Edge-bonded Tile: See definition for Pre-grouted Tile.

Facial Defect: The portion of the facial surface of the tile which is readily observed to be nonconforming and which will detract from the appearance or serviceability of the installed tile. Examples of such defects include, but are not limited to: pinholes, contaminants, chips, cracks, scratches, and glaze application errors.

Field Tile: A general term for the tile used in the majority of an installation.

Floor Tile: A manufacturer specified ceramic tile primarily for use on floors, but also suitable for use on walls and countertops, and having a facial area of 9 inch² (5806 mm²) or more.

Floor-Wall Coordinating Tile: Wall tile designed to the same basic visual characteristics as corresponding floor tile, intended for use in the same installation.