

ANSI Z80.28-2004

(Editorially revised March 2006)

ANSI Z80.28-2004

AMERICAN NATIONAL STANDARD



for Ophthalmics -

*Methods for Reporting
Optical Aberrations of Eyes*

This is a preview of "ANSI Z80.28-2004". [Click here to purchase the full version from the ANSI store.](#)

ANSI[®]
Z80.28-2004

American National Standard
for Ophthalmics –
**Methods for Reporting
Optical Aberrations of Eyes**

Secretariat

Optical Laboratories Association

Approved May 14, 2004

Editorially Revised March 9, 2006

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgement of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Developed by

The Accredited Committee Z80 for Ophthalmic Standards -

Optical Laboratories Association
Z80 Secretariat
P. O. Box 2000
Merrifield, VA 22116-2000

Published by

Optical Laboratories Association
P. O. Box 2000
Merrifield, VA 22116-2000

Copyright © 2004 by Optical Laboratories Association
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

Contents

	Page
Foreword	ii
1 Scope	1
2 Normative reference	1
3 Symbols and definitions.....	1
4 Coordinate system.....	6
5 Representation of wavefront data.....	7
6 Presentation of data representing the aberrations of the human eye.....	9
Tables	
1 Symbols.....	2
2 Common names of Zernicke polynomial functions.....	8
3 Common names of magnitude/axis Zernicke polynomial functions.....	10
Figures	
1 Ophthalmic coordinate system as per ISO 8429:1986	6
2 Common names of Zernicke polynomial functions.....	8
Annexes	
A Methods of generating Zernike coefficients.....	17
B Conversion of Zernike coefficients to account for differing aperture sizes, decentration and coordinate system rotation	19
C Conversion between Zernike coefficients represented in different systems of notation.....	29
D Computer algorithm to generate partial derivative weighting matrices for unnormalized Zernike polynomial functions	31
E Table of normalized Zernike polynomial functions (through 6th radial order)	33
F Bibliography.....	35

Foreword (This foreword is not part of American National Standard ANSI Z80.28-2004.)

This American National Standard was developed to address the expressed needs of those members of the ophthalmic community who measure the optical aberrations of the human eye in clinical and research settings and use these measurements to correct those aberrations, those who manufacture instruments to measure the optical aberrations of the human eye and those who teach others in the use of aberration information collected by wavefront refractors and other devices, such as corneal topographers. In particular there was a need for standardization of terms and definitions used in the field, for standardization of methods for describing the aberrations of the eye and transmitting this information to others and for standardization of methods for graphically presenting this information in a clinically useful way.

The experts who worked together to create this standard did not feel that, at the present time, there was sufficient consensus within the ophthalmic community to standardize the advanced metrics that fully utilize the additional information available when the aberrations of the eye beyond common spherocylindrical errors are measured. These advanced metrics will undoubtedly utilize the concepts of the point spread function of the eye, the optical transfer function and the modulation transfer function of the eye. It is hoped that such metrics may be included in future revisions of this standard.

This standard does not address the instruments that measure the optical aberrations of the eye.

This standard was created by a special working group created by the Z80 Subcommittee on Ophthalmic Instruments and included experts in the field of measurement and assessment of the aberrations of the human eye from the clinical, manufacturing and academic areas of the ophthalmic community.

This standard contains six informative references, all of which are not considered part of this standard.

Suggestions for improvement of this standard will be welcome. They should be sent to the Optical Laboratories Association, P.O. Box 2000, Merrifield, VA 22116-2000.

This standard was processed and approved for submittal to ANSI by the Accredited Standards Committee on Ophthalmic Optics, Z80. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, the Z80 Committee had the following members:

Thomas C. White, M.D., Chairman
Quido Cappelli, Vice-Chairman
Robert Rosenberg, O.D., Secretary

<i>Organization Represented</i>	<i>Name of Representative</i>
AR Council	Scott Rickert Lee K. Anderson (Alt.) Mark Imus (Alt.) Don Quinn (Alt.)
Advance Medical Technologies Association	Douglas J. Fortunato Carolyn Jones (Alt.) Glenn Davies (Alt.) Stanley J. Rogaski (Alt.)
American Academy of Optometry.....	David S. Loshin

<i>Organization Represented</i>	<i>Name of Representative</i>
American Academy of Ophthalmology	Thomas C. White Gerhard Cibis (Alt.) Keith Baratz (Alt.) Paul F. Vinger (Alt.)
American Optometric Association	Donald Pitts William J. Benjamin (Alt.) Robert Rosenberg (Alt.) Jeffrey Weaver (Alt.)
American Society of Cataract and Refractive Surgery	Stephen Klyce Jack T. Holladay (Alt.) Stephen H. Johnson (Alt.)
Contact Lens Institute	Ed Schilling
Contact Lens Manufacturers Association	Quido Cappelli
Food & Drug Administration	David Whipple Donald Calogero (Alt.) Robert Landry (Alt.) Ashley Boam (Alt.)
National Association of Optometrists & Opticians	Arthur Newman
National Academy of Opticianry	James Elkin Diane L. Finisey (Alt.)
Optical Laboratories Association	Daniel Torgersen Henry A. Hart (Alt.)
Optical Society of America	Richard A. Phillips
Opticians Association of America	J. Frank Adkins
Prevent Blindness	Carla Helton Jeff Todd (Alt.)
Sunglass Association of America	Thomas Loomis Kenneth L. Frederick (Alt.) James Pritts (Alt.) Rick Van Arnam (Alt.)
US Leader to ISO TC 172/SC7	Charles E. Campbell
Veterans Administration	John Townsend Sharon R. Atkin (Alt.)
Vision Council of America	Kenneth O. Wood Kory Brockman (Alt.) Steve Drake (Alt.) Neil Roche (Alt.) Dick Whitney (Alt.)

The Working Group for Methods for Reporting Optical Aberrations of Eyes, which falls under the Instrument Subcommittee, had the following members who worked on the writing of this standard:

Charles E. Campbell, WG Chair	Raymond A. Applegate
David Loshin, Subcommittee Chair	Larry Horowitz
	Scott MacRea
	Daniel Neal
	James Schwiegerling
	Larry Thibos
	Robert Webb
	David Williams

American National Standard
for Ophthalmics –

Methods for Reporting Optical Aberrations of Eyes

1. Scope

This standard specifies standardized methods for reporting the optical aberrations of eyes.

2. Normative reference

The following standard contain provisions which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below.

ISO 8429: 1986, *Optics and optical instruments – Ophthalmology – Graduated Dial Scale*

3. Symbols and definitions

Symbols used in this standard are summarized in Table 1.