

This is a preview of "BS ISO/IEC 7816-15:2...". Click here to purchase the full version from the ANSI store.

BS ISO/IEC 7816-15:2016



BSI Standards Publication

Identification cards — Integrated circuit cards

Part 15: Cryptographic information
application

bsi.

This is a preview of "BS ISO/IEC 7816-15:2...". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of ISO/IEC 7816-15:2016. It supersedes BS ISO/IEC 7816-15:2004+A2:2008 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee IST/17, Cards and personal identification.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 84929 9

ICS 35.240.15

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS ISO/IEC 7816-15:2...". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2016-05-15

Identification cards — Integrated circuit cards —

Part 15: Cryptographic information application

Cartes d'identification — Cartes à circuit intégré à contacts —

Partie 15: Application des informations cryptographiques

Reference number
ISO/IEC 7816-15:2016(E)



© ISO/IEC 2016

This is a preview of "BS ISO/IEC 7816-15:2...". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "BS ISO/IEC 7816-15:2...". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	iv
Introduction.....	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and abbreviated terms	5
4.1 Symbols.....	5
4.2 Abbreviated terms	5
5 Conventions	7
6 Cryptographic information objects	7
6.1 General	7
6.2 CIO classes	7
6.3 Attributes.....	8
6.4 Access restrictions	8
7 CIO files	8
7.1 Overview.....	8
7.2 IC card requirements.....	8
7.3 Card file structure.....	9
7.4 EF.DIR.....	9
7.5 Contents of DF.CIA.....	11
7.5.1 Overview.....	11
7.5.2 CIAInfo EF	11
7.5.3 EF.OD.....	12
7.5.4 CIO directory files.....	12
7.5.5 DF.CIA selection	13
8 Information syntax in ASN.1	14
8.1 Guidelines and encoding conventions	14
8.2 Basic ASN.1 defined types	14
8.2.1 Identifier.....	14
8.2.2 Reference	14
8.2.3 Label	14
8.2.4 CredentialIdentifier	14
8.2.5 ReferencedValue and Path	15
8.2.6 ObjectValue	16
8.2.7 PathOrObjects	17
8.2.8 CommonObjectAttributes.....	17
8.2.9 CommonKeyAttributes	21
8.2.10 CommonPrivateKeyAttributes	22
8.2.11 CommonPublicKeyAttributes.....	23
8.2.12 CommonSecretKeyAttributes	23
8.2.13 GenericKeyAttributes.....	24
8.2.14 KeyInfo.....	24
8.2.15 CommonCertificateAttributes	24
8.2.16 GenericCertificateAttributes	25
8.2.17 CommonDataContainerObjectAttributes	25
8.2.18 CommonAuthenticationObjectAttributes	25
8.2.19 CIO type.....	26
8.3 CIOChoice type.....	26

This is a preview of "BS ISO/IEC 7816-15:2016". Click here to purchase the full version from the ANSI store.

8.4	Private key information objects	27
8.4.1	PrivateKeyChoice	27
8.4.2	Private RSA key attributes	27
8.4.3	Private elliptic curve key attributes	27
8.4.4	Private Diffie-Hellman key attributes	28
8.4.5	Private DSA key attributes	28
8.4.6	Private KEA key attributes	28
8.4.7	Generic private key information objects	28
8.5	Public key information objects.....	29
8.5.1	PublicKeyChoice.....	29
8.5.2	Public RSA key attributes	29
8.5.3	Public elliptic curve key attributes.....	29
8.5.4	Public Diffie-Hellman key attributes	30
8.5.5	Public DSA key attributes	30
8.5.6	Public KEA key attributes	30
8.5.7	Generic public key information objects	31
8.6	Secret key information objects	31
8.6.1	SecretKeyChoice	31
8.6.2	Algorithm independent key attributes	31
8.6.3	GenericSecretKey type	31
8.7	Certificate information objects.....	31
8.7.1	CertificateChoice	31
8.7.2	X.509 certificate attributes	32
8.7.3	X.509 attribute certificate attributes.....	32
8.7.4	SPKI certificate attributes	32
8.7.5	PGP (Pretty Good Privacy) certificate attributes	33
8.7.6	WTLS certificate attributes	33
8.7.7	ANSI X9.68 domain certificate attributes	33
8.7.8	Card verifiable certificate attributes	33
8.7.9	Generic certificate attributes	34
8.8	Data container information objects	34
8.8.1	DataContainerObjectChoice	34
8.8.2	Opaque data container object attributes.....	34
8.8.3	ISO/IEC 7816 data object attributes	34
8.8.4	Data container information objects identified by OBJECT IDENTIFIERS.....	34
8.9	Authentication information objects	35
8.9.1	AuthenticationObjectChoice	35
8.9.2	Password attributes	35
8.9.3	Biometric reference data attributes	38
8.9.4	Authentication objects for external and internal authentication	40
8.10	Cryptographic information file, EF.CIAInfo.....	40
Annex A (normative) ASN.1 module.....		43
Annex B (informative) CIA example for cards with digital signature and authentication functionality.....		59
B.1	General.....	59
B.2	CIOs.....	59
B.3	Access control	60
Annex C (informative) Example topologies		62
Annex D (informative) Examples of CIO values and their encodings		67
D.1	General.....	67
D.2	EF.OD	67
D.2.1	ASN.1 value notation	67
D.2.2	ASN.1 description, tags, lengths and values	68
D.2.3	Hexadecimal DER-encoding	68
D.3	EF.CIAInfo.....	68
D.3.1	ASN.1 value notation	68
D.3.2	ASN.1 description, tags, lengths and values	69
D.3.3	Hexadecimal DER-encoding	69

This is a preview of "BS ISO/IEC 7816-15:2...". Click here to purchase the full version from the ANSI store.

D.4	EF.PrKD	69
D.4.1	ASN.1 value notation.....	69
D.4.2	ASN.1 description, tags, lengths and values.....	70
D.4.3	Hexadecimal DER-encoding.....	71
D.5	EF. CD.....	72
D.5.1	ASN.1 value notation.....	72
D.5.2	ASN.1 description, tags, lengths and values.....	73
D.5.3	Hexadecimal DER-encoding.....	73
D.6	EF.AOD	74
D.6.1	ASN.1 value notation.....	74
D.6.2	ASN.1 description, tags, lengths and values.....	74
D.6.3	Hexadecimal DER-encoding.....	76
D.7	EF.DCOD.....	76
D.7.1	ASN.1 value notation.....	76
D.7.2	ASN.1 description, tags, lengths and values.....	77
D.7.3	Hexadecimal DER-encoding of DCOD.....	77
D.8	Application template (within the EF.DIR).....	78
D.8.1	ASN.1 value notation.....	78
D.8.2	ASN.1 description, tags, lengths and values in ApplicationTemplate.....	78
D.8.3	Hexadecimal DER-encoding of ApplicationTemplate.....	78
D.9	GeneralizedTime encoding guidelines.....	78
Annex E	(informative) Examples of the use of the cryptographic information application	80
E.1	General	80
E.2	Encoding of a private key	80
E.2.1	Cryptographic information application example description	80
E.2.2	ASN.1 encoding of an RSA private key.....	80
E.2.3	Code encoding and decoding from the ASN.1	81
E.2.4	BER encoding	84
E.3	Encoding of a protected data container.....	86
E.3.1	Cryptographic information application example description	86
E.3.2	ASN.1 encoding of the protected data container object	86
E.3.3	Code from the ASN.1 for encoding and decoding BER	87
E.3.4	BER encoding	95
E.4	Encoding of a certificate.....	95
E.4.1	Cryptographic information application example description	95
E.4.2	ASN.1 Encoding of an X.509 certificate	95
E.4.3	Code from the ASN.1 for encoding and decoding BER	97
E.4.4	BER encoding	103
E.5	Encoding of the ESIGN cryptographic information application	107
E.5.1	Cryptographic information application example description	107
E.5.2	ASN.1 encoding of the IAS cryptographic information application	107
E.5.3	Code from the ASN.1 for encoding a decoding BER.....	115
E.5.4	BER encoding	115
	Bibliography.....	117

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, Subcommittee SC 17, *Cards and personal identification*.

This second edition cancels and replaces the first edition (ISO/IEC 7816-15:2004), which has been technically revised. It also incorporates the Amendments ISO/IEC 7816-15:2004/Amd. 1:2007 and ISO/IEC 7816-15:2004/Amd. 2:2008 and the Technical Corrigendum ISO/IEC 7816-15:2004/Cor. 1:2004.

ISO/IEC 7816 consists of the following parts, under the general title *Identification cards — Integrated circuit cards*:

- *Part 1: Cards with contacts — Physical characteristics*
- *Part 2: Cards with contacts — Dimensions and location of the contacts*
- *Part 3: Cards with contacts — Electrical interface and transmission protocols*
- *Part 4: Organization, security and commands for interchange*
- *Part 5: Registration of application providers*
- *Part 6: Interindustry data elements for interchange*
- *Part 7: Interindustry commands for Structured Card Query Language (SCQL)*
- *Part 8: Commands and mechanisms for security operations*
- *Part 9: Commands for card management*

This is a preview of "BS ISO/IEC 7816-15:2...". [Click here to purchase the full version from the ANSI store.](#)

- *Part 10: Electronic signals and answer to reset for synchronous cards*
- *Part 11: Personal verification through biometric methods*
- *Part 12: Cards with contacts — USB electrical interface and operating procedures*
- *Part 13: Commands for application management in a multi-application environment*
- *Part 15: Cryptographic information application*

Introduction

Integrated circuit cards with cryptographic functions can be used for secure identification of users of information systems, as well as for other core security services such as non-repudiation with digital signatures and distribution of enciphering keys for confidentiality. The objective of this part of ISO/IEC 7816 is to provide a framework for such services based on available International Standards. A main goal has been to provide a solution that may be used in large-scale systems with several issuers of compatible cards, providing for international interchange. It is flexible enough to allow for many different environments while still preserving the requirements for interoperability.

A number of data structures have been provided to manage private keys and key fragments to support a public key certificate infrastructure and flexible management of user and entity authentication.

This part of ISO/IEC 7816 is based on PKCS #15 v1.1 (see Reference [9]). The relationship between these documents is as follows:

- a common core is identical in both documents;
- those components of PKCS #15 which do not relate to IC cards have been removed.

This part of ISO/IEC 7816 includes enhancements to meet specific IC card requirements.

This is a preview of "BS ISO/IEC 7816-15:2...". [Click here to purchase the full version from the ANSI store.](#)

Identification cards — Integrated circuit cards — Part 15: Cryptographic information application

1 Scope

This part of ISO/IEC 7816 specifies an application in a card. This application contains information on cryptographic functionality. This part of ISO/IEC 7816 defines a common syntax and format for the cryptographic information and mechanisms to share this information whenever appropriate.

The objectives of this part of ISO/IEC 7816 are to

- facilitate interoperability among components running on various platforms (platform neutral),
- enable applications in the outside world to take advantage of products and components from multiple manufacturers (vendor neutral),
- enable the use of advances in technology without rewriting application-level software (application neutral), and
- maintain consistency with existing, related standards while expanding upon them only where necessary and practical.

It supports the following capabilities:

- storage of multiple instances of cryptographic information in a card;
- use of the cryptographic information;
- retrieval of the cryptographic information, a key factor for this is the notion of “Directory Files”, which provides a layer of indirection between objects on the card and the actual format of these objects;
- cross-referencing of the cryptographic information with DOs defined in other parts of ISO/IEC 7816 when appropriate;
- different authentication mechanisms;
- multiple cryptographic algorithms (the suitability of these is outside the scope of this part of ISO/IEC 7816).

This part of ISO/IEC 7816 does not cover the internal implementation within the card and/or the outside world. It is not mandatory for implementations complying with this International Standard to support all options described.

In case of discrepancies between ASN.1 definitions in the body of the text and the module in Annex A, Annex A takes precedence.